INVASIVE PLANTS OF RIPARIAN EASTERN MARIN



Cherry plum Deciduous shrub to 25' with finely toothed green or purple leaves, and yellow or red fruit to 34". Grows readily from seeds.



Blackwood acacia Evergreen tree to 40'. Mature leaves simple, narrow, to 3", with four veins. Flowers in pale yellow heads to 3/8" wide.



Pampas grass and jubata grass Clumping sawtoothed grass to 12'. Feathery flower-heads to 3', silvery or purplish.



Giant cane Bamboo-like stems to 25'. With alternate leaves to 2' long. Rare plume of pale flowers at stem tip, to 2'.



French broom Shrub to 10' with round twigs and soft 3-part leaves. Less common are Scotch, Portuguese and Spanish brooms.



Fennel Perennial herb to 8' with filled stem and feathery leaves with thread-like leaflets. All parts have anise-like smell, and are edible.

PRODUCED BY FRIENDS OF CORTE MADERA CREEK WATERSHED © Charles Kennard 2002

Foeniculum vulgare flowers: April-July

INVASIVE PLANTS OF RIPARIAN EASTERN MARIN



English ivy Evergreen trailing or climbing vine, rooting where stem touches soil. Shiny leaves to 3". Heads of small, cream-colored, fragrant flowers.



Periwinkle (Vinca) Evergreen trailing vine, rooting where stem touches soil. Shiny opposite leaves to 3". Violet-blue flowers to 1½".



Himalaya blackberry Vine bearing familiar edible berries on thick 5-angled stems with large thorns, rooting where tip touches soil.



Cape ivy (German ivy) Twining, climbing vine with thin, several-pointed leaves. Smooth, fragile stems, if broken, re-root. Thin leaves to 3".



Teasel Biennial herb to 5' with prickly heads of small mauve flowers. Opposite leaves collect water at prickly stem.



Onion lily Fleshy leaves and white flowers grow from white bulbs in the wet season. Forms carpets 1' thick. All parts smell of onion.

© Charles Kennard 2002

PRODUCED BY FRIENDS OF CORTE MADERA CREEK WATERSHED © Ch

Allium triquetum flowers: March-April